

Contents

1. Introduction	17
1.1. Background	17
1.2. Problem, goal and questions	17
1.3. Approach	21
1.4. Comments on materials and methods	25
1.5. Outline	26
2. Central river area	27
2.1 Geology and palaeogeography of the central river area	27
2.1.1 Subsurface	27
2.1.2 Anastomosing river system	28
2.1.3 Types of dry terrain in the anastomosing river system	32
2.1.4 Ground water level and marine influence	32
2.2 Bergambacht	33
2.2.1 Introduction	33
2.2.2 Materials and methods of the pollen analysis	33
2.2.3 Results of the pollen analysis	35
2.2.4 Discussion of the pollen analysis	36
2.2.5 Materials and methods of the macroremains analysis	36
2.2.6 Results and discussion of the macroremains analysis	36
2.2.7 Discussion and conclusions	38
2.3 Pollen diagram of Goudriaan	38
2.3.1 Introduction	38
2.3.2 Material and methods	38
2.3.3 Results	39
2.3.4 Conclusions	41
2.4 Zijdeweg, Rechthoeksdonk and Meerdonk	42
2.5 Hardinxveld-Giessendam Polderweg and Hardinxveld-Giessendam De Bruin	45
2.6 Brandwijk-Kerkhof	46
2.7 Hazendonk	47
2.8 Synthesis central river area	48
2.8.1 Occupation and neolithisation	48
2.8.2 Reconstruction of the natural vegetation	50
2.8.3 Human impact	53
2.8.3.1 Pollen diagrams	53
2.8.3.2 Distinction between human impact and natural causes of disturbance	54
2.8.3.3 Factors influencing the evidence of human impact in pollen diagrams	55
2.8.3.4 The influence of the introduction of agriculture on signals of human impact	55
2.8.3.5 Macroremains diagrams	58
2.8.3.6 Carbonised macroremains of non-cultivated plants	59
2.8.3.7 Wood and charcoal	63
2.8.4 Crop cultivation	64
2.8.4.1 Suitability of the landscape for cultivation	64
2.8.4.2 Crop plants	65

2.8.4.3	Arable weeds	65
2.8.4.4	Local cultivation	71
2.9	Suggestions for further research	72
3.	Coastal region	73
3.1	Geology and palaeogeography of the coastal region	73
3.1.1	Introduction	73
3.1.2	Ypenburg	73
3.1.3	Wateringen 4	75
3.1.4	Schipluiden (AHR-39)	75
3.1.5	Sion (AHR-42)	75
3.1.6	Rijswijk-A4	75
3.1.7	Wateringse Veld	75
3.2	Nootdorp-Driemanspolder	76
3.3	Schipluiden-Zuidkade	78
3.4	Ypenburg-Postenkade	80
3.5	Rijswijk-Ypenburg	81
3.5.1	Archaeology	81
3.5.2	Pollen analysis	81
3.5.3	Macroremains analysis	82
3.5.4	Wood and charcoal analysis	83
3.5.5	Discussion	84
3.6	Schipluiden	85
3.6.1	Archaeology	85
3.6.2	Diatom and pollen analysis	86
3.6.3	Macroremains analysis	87
3.6.4	Crop plants	88
3.6.5	Arable weeds	88
3.6.6	Wood and charcoal analysis	91
3.6.7	Other sources	93
3.6.8	Discussion	93
3.7	Wateringen 4	94
3.7.1	Archaeology	94
3.7.2	Archaeobotanical materials and methods	95
3.7.3	Pollen analysis	96
3.7.4	Macroremains analysis	96
3.7.6	Discussion	99
3.8	Sion (AHR-42)	99
3.9	Rijswijk-A4	100
3.9.1	Archaeology	100
3.9.2	Macroremains analysis	101
3.9.3	Discussion	111
3.10	Synthesis coastal region	115
3.10.1	Occupation and neolithisation	115
3.10.2	Reconstruction of the natural vegetation	116
3.10.2.1	Reconstruction of the regional vegetation	116

3.10.2.2	Reconstruction of the dune vegetation	118
3.10.3	Human impact	119
3.10.3.1	Pollen and diatoms	119
3.10.3.2	Carbonised macroremains	120
3.10.3.4	Wood and charcoal	124
3.10.4	Crop cultivation	127
3.10.4.1	Suitability of the landscape for cultivation	127
3.10.4.2	Crop plants	127
3.10.4.3	Arable weeds	128
3.10.4.4	Local cultivation	133
3.11	Suggestions for further research	134
4	Vecht region	163
4.1	Geology and palaeogeography of the Vecht region	163
4.1.1	Introduction	163
4.1.2	Swifterbant	167
4.1.3	Schokland-P14	167
4.1.4	Schokkerhaven-E170	167
4.1.5	Urk-E4	167
4.1.6	Emmeloord-J97	169
4.2.	Swifterbant	169
4.2.1	Archaeology	169
4.2.2	Archaeobotany	170
4.2.2.1	Pollen analysis	170
4.2.2.2	Macroremains analysis	171
4.2.2.3	Carbonised macroremains of non-cultivated plants	172
4.2.2.4	Crop plants	172
4.2.2.5	Arable weeds	173
4.2.2.6	Wood analysis	174
4.2.2.7	Charcoal analysis	176
4.2.2.8	Moss analysis	177
4.2.2.9	Other sources	177
4.2.3	Discussion	177
4.2.3.1	Reconstruction of the natural vegetation	177
4.2.3.2	Human impact on the vegetation	178
4.2.3.3	Local cultivation	179
4.3	Schokland-P14	181
4.3.1	Archaeology	181
4.3.2	Archaeobotanical materials and methods	182
4.3.2.1	Pollen and diatoms analysis from sections	183
4.3.2.2	Macroremains analysis	184
4.3.2.3	Crop plants	184
4.3.2.4	Arable weeds	184
4.3.2.5	Charcoal analysis	186
4.3.2.6	Other sources	186
4.3.3	Discussion	186

4.3.3.1	Reconstruction of the natural vegetation	186
4.3.3.2	Human impact on the vegetation	188
4.3.3.3	Local cultivation	188
4.4	Schokkerhaven-E170	190
4.4.1	Archaeology	190
4.4.2	Pollen analysis	191
4.4.3	Macroremains analysis	191
4.4.4	Conclusions	194
4.5	Urk-E4	195
4.5.1	Archaeology	195
4.5.2	Archaeobotanical materials and methods	196
4.5.3	Reconstruction of the natural vegetation	196
4.5.4	Evidence of human impact from the macroremains	198
4.5.5	Crop plants	198
4.5.6	Presumed ard marks	199
4.5.7	Conclusions	200
4.6	Emmeloord-J97	200
4.6.1	Archaeology	200
4.6.2	Archaeobotanical materials and methods	201
4.6.3	Macroremains analysis	201
4.6.4	Wood analysis	202
4.6.5	Conclusion and discussion	202
4.7	Synthesis Vecht region	202
4.7.1	Occupation and neolithisation	202
4.7.2	Reconstruction of the natural vegetation	204
4.7.3	Human impact on the vegetation	206
4.7.4	Crop cultivation	208
4.7.4.1	Suitability of the landscape for cultivation	208
4.7.4.2	Crop plants	209
4.7.4.3	Arable weeds	209
4.7.4.4	Local cultivation	209
4.8	Suggestions for further research	212
5.	Eem region	213
5.1	Geology and palaeogeography of the Eem region	213
5.2	Archaeology of Hoge Vaart	214
5.3	Sand ridge	216
5.3.1	Reconstruction of the natural vegetation and abiotic factors at the sand ridge	216
5.3.1.1	Early and Middle Atlantic (phase 1)	217
5.3.1.2	Middle and Late Atlantic (phases 2 and 3)	217
5.3.1.3	Initial submerging of the sand ridge (end phase 3)	218
5.3.1.4	Complete submerging of the sand ridge (phase 4)	219
5.3.2	Evidence of human impact on the vegetation from the sand ridge pollen diagrams	219
5.4	Bank zone	220
5.4.1	Reconstruction of the natural vegetation of the bank zone based on pollen and macroremains	220
5.4.2	Evidence of human impact on the vegetation from the bank zone diagrams	227

5.5	Macroremains analysis	228
5.5.1	Materials and methods	228
5.5.2	Results	230
5.5.3	Carbonised macroremains	230
5.6	Disturbance indicators	232
5.7	Wood analysis	234
5.7.1	Unworked wood remains	234
5.7.2	Presumably worked wood remains	234
5.7.3	Wooden artefacts	236
5.8	Charcoal analysis	238
5.9	Other sources	240
5.10.1	Reconstruction of the natural vegetation	240
5.10.1.1	Reconstruction of the natural vegetation of dry terrain	240
5.10.1.2	Reconstruction of the wetland vegetation	241
5.10.2	Human impact on the vegetation	242
5.10.3	Crop cultivation	243
5.10.3.1	Suitability of the landscape for cultivation	243
5.10.3.2	Absence of indications of agriculture at Hoge Vaart	243
6.	Other sites	245
6.1	Introduction	245
6.2	Randstadrail Central Station (western river area)	246
6.3	Bergschenhoek (western river area; see appendix V)	246
6.4	Hillegersberg (western river area)	248
6.5	Barendrecht 20.126 (western river area)	248
6.6	Barendrecht 20.125 (western river area)	248
6.7	Benschop cluster (western river area)	249
6.8	Alblasserdam-Nieuw Kinderdijk (central river area)	249
6.9	Nijmegen-Oosterhout 't Klumke (eastern river area)	250
6.10	Winterswijk	250
6.11	Hüde I	250
6.12	Jardinga	251
6.13	Doel Deurganckdok-sector B	251
7.	Reconstruction of the natural vegetation	253
7.1	Abiotic factors influencing the natural vegetation	253
7.2	Woodland vegetation	253
7.3.1	<i>Pinus</i> sp.	264
7.3.2	<i>Prunus spinosa</i>	264
7.3.3	<i>Prunus padus</i>	264
7.3.4	<i>Prunus avium</i>	264
7.3.5	<i>Sorbus aucuparia</i>	265
7.3.6	<i>Taxus baccata</i>	265
7.4	Reconstruction of the natural vegetation on a regional level	266
7.4.1	Central river area	266
7.4.2	Coastal region	266

7.4.3	Vecht region	267
7.4.4	Eem region	267
7.5	Comparison with macroregions	268
7.5.1	Scheldt Basin	268
8.	Evidence of human impact and plant subsistence from pollen diagrams, wood and charcoal	271
8.1	Introduction	271
8.2	Evidence of human impact in pollen diagrams from the studied regions	271
8.2.1	Central river area	271
8.2.2	Coastal region	271
8.2.3	Vecht region	272
8.2.4	Eem region	272
8.2.5	Other sites	272
8.2.6	Summary and comparison of the regions	273
8.2.6.1	Trees and shrubs	273
8.2.6.2	Herbs and non-pollen palynomorphs	273
8.2.7	Evidence of human impact in pollen diagrams in relation to methodology	275
8.2.8	Evidence of Neolithic subsistence and neolithisation in pollen diagrams	276
8.3	Comparison with macroregions	277
8.3.1	The models of human impact from other macroregions	277
8.3.2	Comparison of the sites studied with the results from other macroregions	280
8.3.3	Comparison with non-modelled information from other macroregions	283
8.4	Evidence of human impact from wood	283
8.4.1	The identifications of wooden artefacts and worked wood	283
8.4.2	Selective use of wood for artefacts	286
8.4.2.1	Fish traps and wattle work	287
8.4.2.2	Dugout canoes	288
8.4.2.3	Paddles	290
8.4.2.4	Bows	292
8.4.2.5	Hafts	294
8.4.2.6	Rectangular split pieces	296
8.4.2.7	Pointed roundwood other than posts	301
8.4.2.8	Posts	302
8.4.3	Import of wood	304
8.4.4	Conclusion on the selective use of wood for artefacts	305
8.5	Wood in relation to ideology	306
8.6	Artefacts made of plant material other than wood	306
8.7	Charcoal: selective use of fuel	307
8.7.1	Selection of taxa	307
8.7.2	Charcoal collection strategies	310
8.8	Management	311
8.8.1	Fire ecology	311
8.8.2	Hedges	312
8.8.3	Pollarding and coppicing	313
8.8.4	Management – miscellaneous	316

9. Evidence of human impact and plant subsistence from macroremains: use plants and food plants from the natural vegetation	331
9.1 Introduction	331
9.2 Analysis	332
9.2.1 Carbonised remains	332
9.2.2 Frequency analysis	332
9.2.3 Concentrations	337
9.2.4 Features: hearths	337
9.2.5 Spatial distribution	342
9.2.6 Coprolites	343
9.3 Results and discussion	344
9.3.1 Discussion of probable use plants other than food plants	344
9.3.2.1 Discussion of probable food plants – introduction	346
9.3.2.2 Potential plant food from trees and shrubs	347
9.3.2.3 Herbs, wild grasses and sedges	355
9.3.2.4 Roots	357
9.3.2.5 Conclusions on the evidence of consumption	359
9.3.3 Food plants: regional differences	360
9.3.4 Food plants: the economic importance of plants through time	360
9.3.5 Food plants: preparation and consumption	363
9.4 Comparison with other macroregions	364
9.4.1 The Netherlands and Belgium	364
9.4.2 France	368
9.4.3 Germany	368
9.4.4 Denmark	369
9.4.5 Great Britain	369
10. Evidence of human impact and plant subsistence from macroremains: potential arable weeds	381
10.1 Introduction	381
10.2 Analysis of arable weeds of the Dutch wetland sites: methods	381
10.3 Results	383
10.3.1 Concentrations of carbonised cereals	383
10.3.2 Taxa present in a carbonised state in samples that contain carbonised cereal remains	383
10.3.3 Comparison of potential arable weeds between sites with and without cereals	383
10.3.4 Comparison of potential arable weeds between regions	385
10.4 Discussion	386
10.4.1 Which taxa represent arable weeds?	386
10.4.2 Information on cultivation practices derived from probable weeds	387
10.4.3 Comparison with weeds of other relevant Neolithic cultures	388
10.5 Suggestions for further research	389
11. Evidence of human impact and plant subsistence from macroremains: crop plants and cultivation	401
11.1 Introduction	401
11.2 Archaeobotanical remains of crop plants at the wetland sites	401
11.2.1 Finds of macroremains	401
11.2.2 Age of the macroremains	406

11.2.3 Finds of microremains	407
11.3 Evidence of use and consumption	408
11.4 The role and importance of crop plants	409
11.5 Environmental possibilities and restraints for crop cultivation	410
11.6 Local crop cultivation at Dutch Early and Middle Neolithic wetland sites?	411
11.6.1 Querns	416
11.6.2 Sickles and sickle gloss	416
11.6.3 Arable plots	417
11.6.4 Indications of human impact in pollen diagrams	417
11.6.5 Presence of Cerealia-type pollen	418
11.6.6 Dung indicators	418
11.6.7 Arable weeds	419
11.6.8 Poor development of emmer wheat	419
11.6.9 Internodia of naked barley	419
11.6.10 Ratio of emmer and naked barley	421
11.6.11 Site function	422
11.6.12 Conclusion on the types of evidence	422
11.6.13 Conclusion on local crop cultivation at the sites	423
11.7 Cultivation practices	424
11.7.1 Cultivation methods	424
11.7.2 Separate or mixed cultivation?	425
11.7.3 Harvesting methods	426
11.7.4 Autumn-sown crops or spring-sown crops	428
11.7.5 Manuring	428
11.8 Comparison with other cultures and regions	429
11.8.1 Crop plant assemblages from other Neolithic cultures	429
11.8.2 Period of introduction	431
11.8.3 The location of arable plots	432
11.8.4 The importance of crop plants	433
11.8.5 Crop practices in other Neolithic cultures	434
11.9 Neolithisation process: dispersal of crop plants	435
12. Conclusions	439
12.1 Introduction	439
12.2 Implications on methodology	439
12.3 Reconstruction of the natural vegetation	440
12.4 Human impact	441
12.4.1 Settlement choice	441
12.4.2 Evidence of human impact in pollen diagrams	441
12.4.3 Use of wood	441
12.4.4 Food plants and use plants	442
12.4.5 Social role of plants	442
12.5 Neolithisation	443
12.5.1 Wild plants	443
12.5.2 Arable weeds	444
12.5.3 Crop cultivation	444

12.6 Suggestions for further research	445
References	447
Summary	483
Samenvatting	491
Dankwoord	499
Curriculum vitae	501

The appendices to this book (I-VII) can be found on the internet at the website of the publisher and in the digital repository of Leiden University:

http://www.lup.nl/do.php?a=show_visitor_book&isbn=9789087280727

and <http://hdl.handle.net/1887/14033>